

LABEL INFORMATION: DILOTAB® II SINUS AND COLD RELIEF TABLETS



Drug Facts

Active ingredients (in each tablet)

Acetaminophen 325 mg	Pain reliever
Phenylephrine HCl 5 mg	Nasal decongestant

Purposes

Uses

temporarily relieves the following cold and hay fever symptoms:

- nasal and sinus congestion
- sinus pain
- headache
- minor aches and pains

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 12 tablets in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Do not use

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Ask a doctor before use if you have

- heart disease
- high blood pressure
- diabetes
- thyroid disease
- liver disease
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

Stop use and ask a doctor if

- you get nervous, dizzy or sleepless
- pain or nasal congestion gets worse or lasts more than 7 days
- redness or swelling is present in the painful area
- any new symptoms appear

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- adults: take 2 tablets every 4 hours, not more than 12 tablets in 24 hours
- children under 12 years: ask a doctor

Other information

- store at 15-25°C (59-77°F)
- avoid excessive heat above 40°C (104°F)

Inactive ingredients

corn starch, FD&C blue #1 aluminum lake, microcrystalline cellulose, povidone, sodium starch glycolate, stearic acid

Questions? 1-800-841-8417 or zeemedical.com